

Address : 351 Haeyang-ro, Yeongdo Gu, Busan, 491111
Phone : +82-51-400-4331 ~ 4
FAX : +82-51-400-4349
Website : <http://www.khoa.go.kr/Main.do>
E-Mail : ntmkhoa@korea.kr

July 12, 2024
Notices 409 ~ 425
(209) ~ (219)



Republic of Korea

NOTICES TO MARINERS

WEEKLY EDITION 28

CONTENTS

PART	I. INDEX
	II. NOTICES TO MARINERS
	III. NAVIGATIONAL INFORMATION
	IV. AMENDMENTS TO PUBLICATIONS

Mariners are requested to inform the Korea Hydrographic and Oceanographic Agency immediately of the discovery of new dangers, changes or defects in aids to navigation and of shortcomings in Korean charts or publications. The Notices to Mariners and list of small correction are uploaded on the website of Korea Hydrographic and Oceanographic Agency.

1. A star “★” before a notice number indicates that the notice is based on the original Korea information.
 2. Temporary or preliminary notices are indicated by (T) or (P) after the notice number respectively, and the notice number with “※” means that it has been notices as a temporary or preliminary notice before.
*Temporary (T) and Preliminary (P) notices are not corrected on charts and publications. Therefore it is advised to check past Notices to Mariners upon purchasing new charts and publications.
 3. The Lat./Long. horizontal coordinates are shown by WGS-84 system.
 4. Courses and bearing are true reckoned clockwise from 000° to 359° ; the bearings relating to light sectors and leading lines are expressed from the vessel toward the target.
 5. The time is expressed as four figures from 00:00 to 24:00, and is based on the Korea Standard Time(KST ; ZD -9) if not specified otherwise.
 6. A dagger “†” before the publication number means its correction is recorded in the attached sheet.
 7. The figure within brackets after a chart number means the year and notice number of the last correction affected in that charts.
-

Korea Hydrographic and Oceanographic Agency

PART I

INDEX OF LOCALITY

<i>Locality</i>	<i>Notice No.</i>
Information about navigation	(209)
	(210)
Block production	409
Chart production	410
Chart withdrawn	411
ENC production	412
EAST COAST Approaches to Namae Hang ~ Fish haven, Depth	413
Approaches to Pohang Hang ~ Light house	414
Approaches to Ulsan Hang ~ Light house	415
Approaches to Ulsan Hang ~ Light buoy	421
Approaches to Namae Hang ~ Hydrographic survey	(219)
SOUTH COAST Namhaedo, Approaches to Hangchon Hang ~ Depth, Fish haven	416
Approaches to Geomundo Hang ~ Light buoy	420
Geojeodo, Approaches to Daepogeunpo Hang ~ Fishery	(211)
Approaches to Hodu Hang ~ Fishery	(212)
Approaches to Maekjeonpo Hang ~ Fishery	(213)
Approaches to Narodo Hang ~ Fishery	(214)
Approaches to Hwapo Hang ~ Fishery	(215)
Approaches to Sisan Hang ~ Fishery	(216)
Approaches to Sadong Hang ~ Fishery	(217)
Approaches to Deugam Hang ~ Fishery	(218)
WEST COAST Approaches to Incheon Hang ~ Light buoy	417
Approaches to Maldo Hang ~ Breakwater, Light house	418
Approaches to Mokpo Hang ~ Light buoy	419
Approaches to Songgong Hang ~ Light buoy	422
Approaches to Jido ~ Light buoy	423
Approaches to Gyema Hang ~ Light buoy	424
Approaches to Daesan Hang ~ Light buoy	425

INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Chart No.	Notice No.
1454	413	2240	(214)
1461	409	2452	(217), (218)
1510	413, (219)	2474	(217), (218)
1531	409	2477	420(T)*
1711	414	2516	416
1712	415	3113	422(T), (210)
1751	414	3155	419*
1752	414	3164	422(T), 423(T)
1753	414	3412	418*
1755	421(T)	3415	417, 425(T)
1756	415	3417	425(T)
1813	(209)	3432	418*
2111	415	3436	425(T)
2161	(213)	3438	417
2164	(211), (212)	3451	424(T)
2183	(214), (216)	3469	417
2184	(215)		

INDEX OF PUBLICATION AFFECTED

Publication No.	Notice No.
410	414, 415, 417, 418, 425(T)
810	410, 411

PART II

★409/24 Block production

Chart No.	Title	Position (Approx.)
1531	HUPO HANG	36-40.5N, 129-27.4E
1461	GUSAN HANG TO DAEJIN HANG	36-40.5N, 129-27.4E

Chart 1531[24-96], 1461[24-50]

Source Korea Hydrographic and Oceanographic Agency

★410/24 Chart production

Chart No.	Title	Scale (1:)	Date	Size	Remark
2511	SOUTHERN PART OF HADONG HANG	20,000	2024. 7	A0	Edition

Publication †810 (CATALOGUE OF CHARTS AND PUBLICATIONS)

Source Korea Hydrographic and Oceanographic Agency

★411/24 Chart withdrawn

Chart No.	Title	Scale (1:)	Date	Size
2511	SOUTHERN PART OF HADONG HANG	20,000	2021. 7	A0

Publication †810 (CATALOGUE OF CHARTS AND PUBLICATIONS)



Source Korea Hydrographic and Oceanographic Agency

★412/24 ENC production

ENC No.	Chart No.	Remark
KR656A37	3432	Edition

Source Korea Hydrographic and Oceanographic Agency

★413/24 EAST COAST ~ Approaches to Namae Hang ~ Fish haven, Depth

Insert	1. limit of fish haven, dotted line joining, (1)~(4)~(1), insert, 	(1) 38-01-29.5N, 128-44-09.5E (2) 38-01-28.8N, 128-44-08.3E (3) 38-01-26.9N, 128-44-09.8E (4) 38-01-27.9N, 128-44-11.0E
	2. depth <i>13</i>	38-01-27.7N, 128-44-09.9E
	3. depth, <i>11s</i> with seabed type R	38-01-26.9N, 128-44-07.8E
	4.  (<i>13</i>)	38-01-27.7N, 128-44-09.9E
Delete	5. depth <i>13</i>	38-01-26.3N, 128-44-10.5E
Chart	1510[23-437] (1,2,3,5), 1454[24-392] (4)	
Source	Korea Hydrographic and Oceanographic Agency	

★414/24 EAST COAST ~ Approaches to Pohang Hang ~ Light house

Insert	★ Fl(2) G 6s 11m 7M	36-03-43.7N, 129-23-13.0E
Chart	1751[24-97], 1752[24-366], 1753[24-393], 1711[24-365]	
Publication	†410 (List of Lights) 1313.2	
Source	Pohang Regional Office of Oceans and Fisheries	

★415/24 EAST COAST ~ Approaches to Ulsan Hang ~ Light house

Replace	Range of light, 10M with 11M	35-28-07.5N, 129-24-23.4E
Chart	1756[24-248], 1712[24-335], 2111[24-153]	
Publication	†410 (List of Lights) 1363	
Source	Ulsan Regional Office of Oceans and Fisheries	

★416/24 SOUTH COAST ~ Namhaedo, Approaches to Hangchon Hang ~ Depth, Fish haven

Insert 1. depth 18 , and delete, around depth 18_3 34-43-23.8N, 127-52-37.7E

2.  (9_9) 34-43-23.3N, 127-52-32.0E

Chart 2516[24-390]

Source Korea Hydrographic and Oceanographic Agency

★417/24 WEST COAST ~ Approaches to Incheon Hang ~ Light buoy

Insert  $Fl(3) 7s$ 37-21-34.3N, 126-30-56.4E

Chart 3469[24-324], 3438[24-324], 3415[24-111]

Publication †410 (List of Lights) 3501.12

Source Incheon Regional Office of Oceans and Fisheries

★418※/24 WEST COAST ~ Approaches to Maldo Hang ~ Breakwater, Light house

Former Notice 220(T)/23 is canceled

Insert 1. breakwater, single firm line, joining (width: 1m) (1) 35-44-13.9N, 126-27-39.0E
(2) 35-44-11.1N, 126-27-40.8E

Replace 2. ★ Fl R 4s 13m 9M with ★ Fl R 4s 15m 8M 35-44-13.9N, 126-27-39.0E to
35-44-11.1N, 126-27-40.8E

Chart 3432[24-272], 3412[24-272]

Publication †410(List of Lights) 3152.5

Source Gunsan Regional Office of Oceans and Fisheries

★419※/24 WEST COAST ~ Approaches to Mokpo Hang ~ Light buoy

Former Notice 32(T)/24, No.2,3,5 is canceled

Delete 1.  *Fl(4) Y 8s (No B)* 34-44-12.5N, 126-21-35.2E

2.  *Fl(4) Y 8s (No C)* 34-44-08.4N, 126-21-45.0E

Chart 3155

Source Mokpo Regional Office of Oceans and Fisheries

★420(T)※/24 SOUTH COAST ~ Approaches to Geomundo Hang ~ Light buoy

Former Notice 241(T)/24 is canceled

Move  *Fl(4) Y 8s* 34-03-05.6N, 127-18-32.0E to
34-02-43.4N, 127-18-42.8E

Chart 2477

Source Yeosu Regional Office of Oceans and Fisheries

★421(T)/24 EAST COAST ~ Approaches to Ulsan Hang ~ Light buoy


Insert  *Fl(4) Y 8s* 35-35-37.2N, 129-27-54.4E

Chart 1755

Source Ulsan Regional Office of Oceans and Fisheries

★422(T)/24 WEST COAST ~ Approaches to Songgong Hang ~ Light buoy

Insert 1.  *Fl(4) Y 8s (No A)* 34-59-09.6N, 126-12-49.0E

2.  *Fl(4) Y 8s (No B)* 34-59-10.0N, 126-12-56.4E

3.  *Fl(4) Y 8s* 34-57-14.7N, 126-13-01.6E

Chart 3164(1,2), 3113(3)

Source Mokpo Regional Office of Oceans and Fisheries

★423(T)/24 WEST COAST ~ Approaches to Jido ~ Light buoy

Insert  1. *Fl(4) Y 8s (No A)* 35-07-55.0N, 126-10-47.1E


2.  *Fl(4) Y 8s (No B)* 35-07-44.4N, 126-10-50.3E

Chart 3164

Source Mokpo Regional Office of Oceans and Fisheries

★424(T)/24 WEST COAST ~ Approaches to Gyema Hang ~ Light buoy


Insert  *Fl(4) Y 8s* 35-22-25.7N, 126-24-43.8E

Chart 3451

Source Mokpo Regional Office of Oceans and Fisheries

★425(T)/24 WEST COAST ~ Approaches to Daesan Hang ~ Light buoy

Move  *Fl(3) G 7s (No 5)* 36-58-20.3N, 126-13-34.7E to
36-58-19.5N, 126-13-31.9E

Chart 3436, 3415, 3417

Publication 410 (List of Lights) 3326

Source Daesan Regional Office of Oceans and Fisheries

PART III

★(209)/24 EAST COAST ~ Approaches to Jeongja Hang ~ Marine information

Area bounded by line, joining, (1)~(4)~(1) (1) 35-38-21.3N, 129-26-28.1E
(2) 35-38-20.9N, 129-28-05.6E
(3) 35-37-18.3N, 129-28-05.3E
(4) 35-37-18.7N, 129-26-27.8E

Remark Period : July 12, 2024 ~ August 2, 2024

Chart 1813

Source SOILTECH Engineering

★(210)/24 WEST COAST ~ Approaches to Amtaedo ~ Marine information

Area bounded by line, joining, (1)~(10)~(1) (1) 34-59-00.6N, 125-55-17.9E
(2) 34-59-06.3N, 125-59-03.5E
(3) 34-57-24.5N, 125-59-07.3E
(4) 34-55-33.8N, 126-02-26.7E
(5) 34-54-48.9N, 126-03-25.0E
(6) 34-54-44.1N, 126-03-19.9E
(7) 34-55-28.4N, 126-02-22.4E
(8) 34-57-16.5N, 125-59-07.6E
(9) 34-57-15.9N, 125-59-07.6E
(10) 34-57-10.3N, 125-55-22.0E

Remark Period : July 15, 2024 ~ August 14, 2024

Chart 3113

Source Jeonnam Offshore Wind Power

★(211)/24 SOUTH COAST ~ Geojedo, Approaches to Daepogeunpo Hang ~ Fishery

Area bounded by line, joining, (1)~(4)~(1) (1) 34-47-05.8N, 128-31-11.3E
(2) 34-47-05.9N, 128-31-19.1E
(3) 34-47-02.6N, 128-31-19.2E
(4) 34-47-02.6N, 128-31-11.3E

Remark Period : July 2024 ~ April 2026

Chart 2164

Source Tongyeong City

★(212)/24 SOUTH COAST ~ Approaches to Hodu Hang ~ Fishery

Area bounded by line, joining, (1)~(4)~(1) (1) 34-45-30.2N, 128-28-28.2E
(2) 34-45-30.9N, 128-28-35.5E
(3) 34-45-25.8N, 128-28-36.2E
(4) 34-45-25.1N, 128-28-28.9E

Remark Period : July 2024 ~ July 2033

Chart 2164

Source Tongyeong City

★(213)/24 SOUTH COAST ~ Approaches to Maekjeonpo Hang ~ Fishery

Area bounded by line, joining, (1)~(4)~(1) (1) 34-47-08.1N, 128-11-21.7E
(2) 34-47-08.2N, 128-11-29.5E
(3) 34-46-50.3N, 128-11-29.7E
(4) 34-46-50.3N, 128-11-21.8E

Remark Period : July 2024 ~ February 2032

Chart 2161

Source Tongyeong City

★(214)/24 SOUTH COAST ~ Approaches to Narodo Hang ~ Fishery

Area 1. bounded by line, joining, (1)~(4)~(1) (1) 34-27-42.0N, 127-26-28.1E
(2) 34-27-47.1N, 127-26-38.1E
(3) 34-27-19.4N, 127-26-58.5E
(4) 34-27-14.3N, 127-26-48.4E

2. bounded by line, joining, (1)~(4)~(1) (1) 34-27-47.4N, 127-26-39.5E
(2) 34-27-49.7N, 127-26-43.9E
(3) 34-27-33.3N, 127-26-56.4E
(4) 34-27-31.0N, 127-26-52.0E

3. bounded by line, joining, (1)~(4)~(1) (1) 34-24-47.4N, 127-30-13.5E
(2) 34-24-53.8N, 127-30-31.5E
(3) 34-24-48.4N, 127-30-34.3E
(4) 34-24-42.1N, 127-30-16.3E

Remark Period : July 2024 ~ July, 2034

Chart 2240 (1,2), 2183 (3)

Source Goheung Gun

★(215)/24 SOUTH COAST ~ Approaches to Hwapo Hang ~ Fishery

Area bounded by line, joining, (1)~(4)~(1) (1) 34-44-29.3N, 127-25-24.5E
(2) 34-44-29.3N, 127-25-32.4E
(3) 34-44-13.1N, 127-25-32.3E
(4) 34-44-13.1N, 127-25-24.5E

Remark Period : July 2024 ~ July, 2034

Chart 2184

Source Goheung Gun

★(216)/24 SOUTH COAST ~ Approaches to Sisan Hang ~ Fishery

Area bounded by line, joining, (1)~(4)~(1) (1) 34-30-07.9N, 127-22-46.8E
(2) 34-30-07.5N, 127-23-27.6E
(3) 34-30-04.4N, 127-23-28.3E
(4) 34-30-04.6N, 127-22-50.1E

Remark Period : July 2024 ~ July, 2034

Chart 2183

Source Goheung Gun

★(217)/24 SOUTH COAST ~ Approaches to Sadong Hang ~ Fishery

Area 1. bounded by line, joining, (1)~(4)~(1) (1) 34-20-22.9N, 126-59-21.4E
(2) 34-20-17.7N, 126-59-39.9E
(3) 34-20-14.9N, 126-59-38.8E
(4) 34-20-18.3N, 126-59-19.5E

2. bounded by line, joining, (1)~(7)~(1) (1) 34-20-32.7N, 127-00-00.7E
(2) 34-20-17.0N, 127-00-30.2E
(3) 34-19-58.5N, 127-00-52.8E
(4) 34-19-53.3N, 127-00-42.6E
(5) 34-20-09.5N, 127-00-21.1E
(6) 34-20-16.0N, 127-00-21.0E
(7) 34-20-24.2N, 126-59-56.5E

- | | |
|---|---|
| 3. bounded by line, joining, (1)~(7)~(1) | (1) 34-19-46.0N, 127-00-53.9E
(2) 34-19-48.5N, 127-01-03.0E
(3) 34-19-22.1N, 127-01-27.0E
(4) 34-18-25.2N, 127-01-31.5E
(5) 34-18-23.7N, 127-01-18.9E
(6) 34-19-40.8N, 127-01-00.5E
(7) 34-19-40.1N, 127-00-55.8E |
| 4. bounded by line, joining, (1)~(5)~(1) | (1) 34-19-08.8N, 127-00-53.5E
(2) 34-18-54.9N, 127-01-10.4E
(3) 34-18-39.7N, 127-01-15.0E
(4) 34-18-30.0N, 127-01-09.6E
(5) 34-18-58.0N, 127-00-37.7E |
| 5. bounded by line, joining, (1)~(4)~(1) | (1) 34-19-20.9N, 127-00-57.9E
(2) 34-19-14.6N, 127-01-04.0E
(3) 34-19-10.1N, 127-00-57.3E
(4) 34-19-16.4N, 127-00-51.2E |
| 6. bounded by line, joining, (1)~(4)~(1) | (1) 34-19-14.7N, 127-00-35.6E
(2) 34-19-06.1N, 127-00-43.4E
(3) 34-18-59.9N, 127-00-34.0E
(4) 34-19-08.6N, 127-00-26.5E |
| 7. bounded by line, joining, (1)~(4)~(1) | (1) 34-20-41.2N, 126-59-29.6E
(2) 34-20-35.9N, 126-59-48.1E
(3) 34-20-29.8N, 126-59-45.6E
(4) 34-20-35.0N, 126-59-27.0E |
| 8. bounded by line, joining, (1)~(4)~(1) | (1) 34-20-32.0N, 126-59-25.8E
(2) 34-20-26.7N, 126-59-44.3E
(3) 34-20-20.6N, 126-59-41.8E
(4) 34-20-25.8N, 126-59-23.2E |
| 9. bounded by line, joining, (1)~(4)~(1) | (1) 34-20-46.2N, 126-59-14.3E
(2) 34-20-42.0N, 126-59-26.4E
(3) 34-20-24.1N, 126-59-17.3E
(4) 34-20-28.3N, 126-59-05.3E |
| 10. bounded by line, joining, (1)~(6)~(1) | (1) 34-18-32.4N, 126-57-48.2E
(2) 34-18-27.0N, 126-58-09.8E
(3) 34-18-12.2N, 126-58-03.3E
(4) 34-18-00.7N, 126-58-23.1E
(5) 34-17-51.1N, 126-58-26.2E
(6) 34-18-14.4N, 126-57-33.0E |

11. bounded by line, joining, (1)~(8)~(1)
- (1) 34-18-22.8N, 126-58-53.8E
 - (2) 34-18-23.8N, 126-59-13.9E
 - (3) 34-18-18.2N, 126-59-28.2E
 - (4) 34-17-57.6N, 126-59-35.7E
 - (5) 34-17-51.7N, 126-58-32.1E
 - (6) 34-18-03.9N, 126-58-28.1E
 - (7) 34-18-07.1N, 126-58-37.6E
 - (8) 34-18-16.7N, 126-58-37.6E
12. bounded by line, joining, (1)~(7)~(1)
- (1) 34-18-34.1N, 127-00-09.7E
 - (2) 34-18-26.8N, 127-00-21.0E
 - (3) 34-18-13.2N, 127-00-32.1E
 - (4) 34-18-05.2N, 127-00-14.6E
 - (5) 34-18-21.5N, 127-00-00.0E
 - (6) 34-18-24.8N, 127-00-11.8E
 - (7) 34-18-31.0N, 127-00-05.6E
13. bounded by line, joining, (1)~(7)~(1)
- (1) 34-18-42.5N, 126-59-47.8E
 - (2) 34-18-32.7N, 126-59-56.5E
 - (3) 34-18-26.3N, 126-59-49.6E
 - (4) 34-18-18.1N, 126-59-45.1E
 - (5) 34-18-20.9N, 126-59-38.8E
 - (6) 34-18-28.6N, 126-59-40.2E
 - (7) 34-18-31.7N, 126-59-35.0E
14. bounded by line, joining, (1)~(4)~(1)
- (1) 34-18-20.7N, 126-59-55.8E
 - (2) 34-18-14.2N, 127-00-01.7E
 - (3) 34-18-06.5N, 126-59-49.1E
 - (4) 34-18-13.0N, 126-59-43.3E
15. bounded by line, joining, (1)~(5)~(1)
- (1) 34-15-02.4N, 127-01-26.3E
 - (2) 34-14-34.8N, 127-01-26.5E
 - (3) 34-14-34.3N, 127-01-15.6E
 - (4) 34-14-52.7N, 127-01-14.9E
 - (5) 34-14-55.4N, 127-01-05.3E
16. bounded by line, joining, (1)~(4)~(1)
- (1) 34-14-48.6N, 127-00-33.6E
 - (2) 34-14-33.3N, 127-00-39.5E
 - (3) 34-14-25.5N, 127-00-31.1E
 - (4) 34-14-43.2N, 127-00-20.8E

17. bounded by line, joining, (1)~(7)~(1)
- (1) 34-15-24.1N, 127-00-02.2E
 - (2) 34-15-27.1N, 127-00-23.6E
 - (3) 34-15-08.2N, 127-00-27.2E
 - (4) 34-15-05.6N, 127-00-20.5E
 - (5) 34-14-50.7N, 127-00-28.7E
 - (6) 34-14-46.4N, 127-00-18.7E
 - (7) 34-15-05.7N, 127-00-07.4E
18. bounded by line, joining, (1)~(4)~(1)
- (1) 34-14-54.2N, 127-00-47.9E
 - (2) 34-14-43.7N, 127-00-51.9E
 - (3) 34-14-33.8N, 127-00-43.5E
 - (4) 34-14-50.1N, 127-00-37.1E
19. bounded by line, joining, (1)~(5)~(1)
- (1) 34-15-07.4N, 127-00-34.5E
 - (2) 34-15-03.5N, 127-00-42.7E
 - (3) 34-14-57.7N, 127-00-47.7E
 - (4) 34-14-51.8N, 127-00-32.4E
 - (5) 34-15-03.7N, 127-00-25.8E

Remark Period : August 2024 ~ August 2034

Chart 2452 (1,2,3,4,5,6,7,8,9), 2474 (10,11,12,13,14,15,16,17,18,19)

Source Wando Gun

★(218)/24 SOUTH COAST ~ Approaches to Deugam Hang ~ Fishery

- Area 1. bounded by line, joining, (1)~(7)~(1)
- (1) 34-20-43.8N, 126-57-56.6E
 - (2) 34-20-53.2N, 126-58-56.7E
 - (3) 34-20-48.2N, 126-59-11.1E
 - (4) 34-20-29.2N, 126-59-01.5E
 - (5) 34-20-20.8N, 126-58-04.5E
 - (6) 34-20-23.8N, 126-58-02.5E
 - (7) 34-20-26.8N, 126-58-08.5E
2. bounded by line, joining, (1)~(6)~(1)
- (1) 34-20-34.6N, 126-57-41.5E
 - (2) 34-20-12.7N, 126-58-02.4E
 - (3) 34-20-07.9N, 126-57-55.5E
 - (4) 34-20-10.5N, 126-57-53.2E
 - (5) 34-19-55.4N, 126-57-29.5E
 - (6) 34-20-14.1N, 126-57-11.4E

3. bounded by line, joining, (1)~(10)~(1)

- (1) 34-19-38.6N, 126-57-01.7E
- (2) 34-19-35.0N, 126-57-25.8E
- (3) 34-19-28.8N, 126-57-25.0E
- (4) 34-19-28.3N, 126-57-10.1E
- (5) 34-19-06.9N, 126-57-11.1E
- (6) 34-19-07.3N, 126-57-23.7E
- (7) 34-18-50.2N, 126-57-24.5E
- (8) 34-18-29.5N, 126-57-34.2E
- (9) 34-18-22.3N, 126-57-16.5E
- (10) 34-19-03.6N, 126-57-04.3E

4. bounded by line, joining, (1)~(5)~(1)

- (1) 34-19-25.2N, 126-57-14.1E
- (2) 34-19-25.5N, 126-57-23.9E
- (3) 34-19-17.5N, 126-57-27.7E
- (4) 34-19-10.7N, 126-57-26.6E
- (5) 34-19-10.3N, 126-57-14.8E

Remark Period : August 2024 ~ August 2034

Chart 2452 (1,2), 2474 (3,4)

Source Wando Gun

★(219)/24 EAST COAST ~ Approaches to Namae Hang ~ Hydrographic survey

Area bounded by line, joining, (1)~(4)~(1)

- (1) 38-00-46.7N, 128-43-43.2E
- (2) 38-00-46.7N, 128-44-07.6E
- (3) 38-00-30.9N, 128-44-07.6E
- (4) 38-00-30.9N, 128-43-43.2E

Remark Period : July 15, 2024 ~ July 26, 2024

Chart 1510

Source East Sea Hydrographic and Oceanographic Office

PART IV

Please insert, correct or remove as follows in the LIST OF LIGHTS (PUB. No. 410)

No.	Name	Position	Characteristics	Elev. (m)	Range (M)	Color. Structure, Height (m)	Remarks
1313.2	Duho Hang	36-03.73N 129-23.22E	Fl(2) G 6s	11	7	W round steel pipe 8.1	NTM No.28/414,2024 (Insert)
1363 M4381.3	Ulsan Hang	35-28.13N 129-24.39E	Fl(1) Y 4s	17	11	Y round concrete tower 10	NTM No.28/415,2024
3152.5 M4206.81	Biando Hang	35-44.19N 126-27.68E	Fl(1) R 4s	15	8	R round concrete tower 9	NTM No.28/418,2024
3501.12	Palmido	37-21.57N 126-30.94E	Fl(3) W 7s		7	W Bu W pillar	NTM No.28/417,2024 (Insert)



**KOREA
HYDROGRAPHIC
AND
OCEANOGRAPHIC
AGENCY**

☎ 491111 351 Haeyang-ro, Yeongdo-gu, Busan, Republic of Korea

NTM KHOA

TEL : +82-51-400-4331~4

FAX : +82-51-400-4349

* Website : <http://www.khoa.go.kr/eng/Main.do>

* E-mail : ntmkhoa@korea.kr