

Address : 351 Haeyang-ro, Yeongdo Gu, Busan, 491111  
Phone : +82-51-400-4331~4  
FAX : +82-51-400-4349  
Website : <http://www.khoa.go.kr/eng/Main.do>  
E-Mail : [ntmkhoa@korea.kr](mailto:ntmkhoa@korea.kr)

December 6, 2024  
Notices 799 ~ 815  
(416) ~ (423)



# Republic of Korea

# NOTICES TO MARINERS

## WEEKLY EDITION 49

---

### CONTENTS

---

|      |                                |
|------|--------------------------------|
| PART | I. INDEX                       |
|      | II. NOTICES TO MARINERS        |
|      | III. NAVIGATIONAL INFORMATION  |
|      | IV. AMENDMENTS TO PUBLICATIONS |

---

Mariners are requested to inform the Korea Hydrographic and Oceanographic Agency immediately of the discovery of new dangers, changes or defects in aids to navigation and of shortcomings in Korean charts or publications. The Notices to Mariners and list of small correction are uploaded on the website of Korea Hydrographic and Oceanographic Agency.

---

1. A star “★” before a notice number indicates that the notice is based on the original Korea information.
  2. Temporary or preliminary notices are indicated by (T) or (P) after the notice number respectively, and the notice number with “※” means that it has been notices as a temporary or preliminary notice before.  
\*Temporary (T) and Preliminary (P) notices are not corrected on charts and publications. Therefore it is advised to check past Notices to Mariners upon purchasing new charts and publications.
  3. The Lat./Long. horizontal coordinates are shown by WGS-84 system.
  4. Courses and bearing are true reckoned clockwise from 000° to 359° ; the bearings relating to light sectors and leading lines are expressed from the vessel toward the target.
  5. The time is expressed as four figures from 00:00 to 24:00, and is based on the Korea Standard Time(KST ; ZD -9) if not specified otherwise.
  6. A dagger “†” before the publication number means its correction is recorded in the attached sheet.
  7. The figure within brackets after a chart number means the year and notice number of the last correction affected in that charts.
- 

Korea Hydrographic and Oceanographic Agency



# PART I

## INDEX OF LOCALITY

| <i>Locality</i>  | <i>Notice No.</i> |
|--|-------------------|
| EAST COAST Approaches to Samcheok Hang ~ Light house       | 799               |
| Approaches to Pohang Hang ~ Light buoy                     | 800               |
| Approaches to Pohang Hang ~ Light buoy                     | 812               |
| Middle part of East sea ~ Light buoy                       | 813               |
| Approaches to Hupo Hang ~ Light buoy                       | 814               |
| Approaches to Sokcho Hang ~ Hydrographic survey            | (420)             |
| SOUTH COAST Approaches to Yokji Hang ~ Submarine cable     | 801               |
| Approaches to Ando Hang ~ Wreck                            | 802               |
| Southern part of Yeondo, Approaches to Ganyeoam ~ Wreck    | 803               |
| Approaches to Sisan Hang ~ Wreck                           | 804               |
| Jejudo, Approaches to Hallim Hang ~ Racon, AIS, Fog signal | 805               |
| Jejudo, Approaches to Seogwipo Hang ~ Light house          | 806               |
| Approaches to Samcheonpo Hang ~ Light buoy                 | 809               |
| Approaches to Gwangyang Hang ~ Light buoy                  | 810               |
| Approaches to Hadong Hang ~ Light buoy                     | 815               |
| Approaches to Junghwa Hang ~ Fishery                       | (416)             |
| Approaches to Nokdong Hang ~ Fishery                       | (417)             |
| Approaches to Soan Hang ~ Fishery                          | (418)             |
| Wando, Approaches to Hwaheungpo Hang ~ Fishery             | (419)             |
| WEST COAST Approaches to Huido ~ Light beacon              | 807               |
| Approaches to Maldo Hang ~ Light house                     | 808               |
| Approaches to Mokpo Hang ~ Light buoy                      | 811               |
| Approaches to Incheon Hang ~ Hydrographic survey           | (421)             |
| Approaches to Deokjeokdo Hang ~ Hydrographic survey        | (422)             |
| Approaches to Seonjinpo Hang ~ Hydrographic survey         | (423)             |

## INDEX OF CHARTS AFFECTED

| Chart No. | Notice No.   | Chart No. | Notice No.   |
|-----------|--------------|-----------|--------------|
| 1457      | 799          | 2470      | (418), (419) |
| 1461      | 814(T)       | 2471      | (418)        |
| 1462      | 814(T)       | 2511      | 810*, 815(T) |
| 1500      | 813(T)       | 2512      | 810*         |
| 1506      | (420)        | 2755      | 806          |
| 1531      | 814(T)       | 2804      | 805          |
| 1752      | 800, 812(T)* | 2805      | 805          |
| 2010      | 808          | 2813      | 806          |
| 2114      | 801          | 3010      | 808          |
| 2161      | 801, (416)   | 3116      | 807          |
| 2163      | 801          | 3154      | 807          |
| 2164      | 801          | 3155      | 811*         |
| 2181      | 802          | 3412      | 808          |
| 2183      | 804          | 3415      | (421)        |
| 2235      | 809*         | 3432      | 808          |
| 2414      | 803          | 3636      | (422)        |
| 2451      | 804          | 3772      | (423)        |
| 2452      | (417)        |           |              |

## INDEX OF PUBLICATION AFFECTED

| Publication No. | Notice No.                                 |
|-----------------|--|
| 410             | 799, 800, 805, 806, 807, 808, 810*, 813(T) |

## PART II

★799/24 EAST COAST ~ Approaches to Samcheok Hang ~ Light house

- Replace 1. ★ Fl R 4s 12m 9M with ★ Fl R 4s 16m 11M 37-24-45.8N, 129-13-09.1E to  
37-24-46.1N, 129-13-09.1E
2. ★ Fl R 4s 12m 9M with ★ Fl R 4s 16m 11M 37-25-29.3N, 129-12-44.4E to  
37-25-29.3N, 129-12-45.0E

Chart 1457[24-648]

Publication †410 (List of Lights) 1255.13, 1255.12

Source Donghae Regional Office of Oceans and Fisheries

---

★800/24 EAST COAST ~ Approaches to Pohang Hang ~ Light buoy

- Replace  Fl(2) Y 6s with  Q Y 36-02-52.9N, 129-22-56.3E to  
36-02-49.8N, 129-22-51.9E


Chart 1752[24-780]

Publication †410 (List of Lights) 1315.1

Source Pohang Regional Office of Oceans and Fisheries

---

★801/24 SOUTH COAST ~ Approaches to Yokji Hang ~ Submarine cable

- Insert 1. submarine power cable,  joining the following points (1) 34-39-23.3N, 128-20-48.8E  
(2) 34-39-17.4N, 128-20-46.7E  
(3) 34-39-12.8N, 128-20-39.8E  
(4) 34-39-10.1N, 128-20-31.9E  
(5) 34-39-01.6N, 128-19-01.9E  
34-39-06.0N, 128-19-48.0E (2163)  
(6) 34-38-59.2N, 128-18-36.1E  
(7) 34-38-46.2N, 128-18-00.2E  
(8) 34-38-26.5N, 128-17-39.9E  
(9) 34-38-24.3N, 128-17-40.8E


2. submarine power cable,  joining the following points
- (1) 34-39-43.2N, 128-20-34.3E
  - (2) 34-39-44.5N, 128-20-36.1E
  - (3) 34-40-00.8N, 128-20-47.3E
  - (4) 34-40-16.5N, 128-21-09.0E  
34-40-54.0N, 128-21-31.1E (2164)
  - (5) 34-41-59.9N, 128-22-10.0E  
34-42-30.0N, 128-22-30.3E (2163)
  - (6) 34-43-21.0N, 128-23-04.8E
  - (7) 34-43-40.7N, 128-23-30.2E
  - (8) 34-43-57.7N, 128-23-42.9E
  - (9) 34-44-06.0N, 128-23-45.3E

Chart 2164[24-762](2), 2161[24-755], 2163[24-395], 2114[-]

Source KEPCO

---

★802/24 SOUTH COAST ~ Approaches to Ando Hang ~ Wreck

Insert  34-34-09.0N, 127-45-05.0E

Chart 2181[24-731]

Source Yeosu Coast Guard

---

★803/24 SOUTH COAST ~ Southern part of Yeondo, Approaches to Ganyeoam ~ Wreck

Insert  34-13-09.0N, 127-42-31.0E

Chart 2414[24-456]

Source Yeosu Coast Guard

---

★804/24 SOUTH COAST ~ Approaches to Sisan Hang ~ Wreck

Insert  34-28-07.0N, 127-17-48.0E

Chart 2451[22-1076], 2183[24-396]

Source Yeosu Coast Guard

★805/24 SOUTH COAST ~ Jejudo, Approaches to Hallim Hang ~ Racon, AIS, Fog signal


- Insert
1.  AIS 33-26-02.8N, 126-14-49.4E
  2.  AIS 33-26-37.4N, 126-14-20.9E
  3.  AIS 33-27-56.4N, 126-15-41.8E
  4.  AIS 33-27-05.5N, 126-15-55.6E
  5.  Racon(D) 33-26-15.3N, 126-14-27.1E
  6.  Horn 33-26-37.2N, 126-14-20.9E

Chart 2805[24-651] (1,5), 2804[24-651]

Publication †410 (List of Lights) 4534, 4534.1, 4534.2, 4534.3, 4106.11, 4362

Source Busan Regional Office of Oceans and Fisheries

---

★806/24 SOUTH COAST ~ Jejudo, Approaches to Seogwipo Hang ~ Light house

Replace Range of light, 14M with 7M 33-13-58.6N, 126-34-02.6E

Chart 2813[24-739], 2755[24-739]

Publication †410 (List of Lights) 2649.1

Source Busan Regional Office of Oceans and Fisheries

---

★807/24 WEST COAST ~ Approaches to Huido ~ Light beacon

Replace Range of light, 9M with 7M 34-37-17.8N, 126-11-35.5E

Chart 3154[24-600], 3116[24-741]

Publication †410 (List of Lights) 3059.1

Source Mokpo Regional Office of Oceans and Fisheries

★808/24 WEST COAST ~ Approaches to Maldo Hang ~ Light house

Replace Range of light, 26M with 20M 35-51-29.6N, 126-18-54.6E

Chart 3432[24-418], 3412[24-602], 3100[24-673], 2010[24-740], 3010[24-770]

Publication †410 (List of Lights) 3163

Source Gunsan Regional Office of Oceans and Fisheries

---

★809※/24 SOUTH COAST ~ Approaches to Samcheonpo Hang ~ Light buoy

Former Notice 261(T)/24 is canceled

Delete 1.  *Fl(4) Y 8s (No A)* 34-55-33.5N, 128-04-15.2E

2.  *Fl(4) Y 8s (No B)* 34-55-35.3N, 128-04-15.6E

Chart 2235

Source Gunsan Regional Office of Oceans and Fisheries

---

★810※/24 SOUTH COAST ~ Approaches to Gwangyang Hang ~ Light buoy

Former Notice 774(T)/24 is canceled

Restore  *Fl(2) G 6s (No 11)* 34-55-55.7N, 127-46-22.7E

Chart 2511, 2512

Publication 410 (List of Lights) 2425.11

Source Yeosu Regional Office of Oceans and Fisheries

---

★811※/24 WEST COAST ~ Approaches to Mokpo Hang ~ Light buoy

Former Notice 775(T)/24 is canceled

Delete 1.  *Fl(4) Y 8s (No A)* 34-46-51.1N, 126-25-49.2E

2.  *Fl(4) Y 8s (No B)* 34-46-52.9N, 126-25-56.0E

Chart 3155

Source Mokpo Regional Office of Oceans and Fisheries

★812(T)※/24 EAST COAST ~ Approaches to Pohang Hang ~ Light buoy

Former Notice 772(T)/24 is canceled

Move  Q Y (No C) 36-02-36.1N, 129-23-16.0E to  
36-02-40.0N, 129-23-01.9E

Chart 1752

Source Pohang Regional Office of Oceans and Fisheries

---

★813(T)/24 EAST COAST ~ Middle part of East sea ~ Light buoy

Interrupted  FI(5) Y 20s (ODAS) 38-22-00.0N, 129-36-00.0E

Chart 1500

Publication 410 (List of Lights) 1209.21

Source Donghae Regional Office of Oceans and Fisheries

---

★814(T)/24 EAST COAST ~ Approaches to Hupo Hang ~ Light buoy

Insert 1.  FI(4) Y 8s 36-33-47.3N, 129-25-57.5E

2.  FI(4) Y 7s (No A) 36-39-48.5N, 129-26-11.7E

3.  FI(4) Y 7s (No B) 36-40-01.0N, 129-26-23.6E

4.  FI(4) Y 7s (No C) 36-40-13.5N, 129-26-35.4E

Chart 1531(3,4), 1461, 1462(1)

Source Pohang Regional Office of Oceans and Fisheries



★815(T)/24 SOUTH COAST ~ Approaches to Hadong Hang ~ Light buoy

Insert 1.  *Fl(4) Y 8s (No A)* 34-56-48.5N, 127-51-18.2E

2.  *Fl(4) Y 8s (No B)* 34-56-50.3N, 127-51-20.5E

Chart 2511

Source Masan Regional Office of Oceans and Fisheries

## PART III

★(416)/24 SOUTH COAST ~ Approaches to Junghwa Hang ~ Fishery

Area bounded by line, joining, (1)~(4)~(1) (1) 34-47-52.8N, 128-16-38.9E  
(2) 34-47-52.9N, 128-16-46.8E  
(3) 34-47-48.0N, 128-16-46.8E  
(4) 34-47-48.0N, 128-16-39.0E

Remark Period : November 2024 ~ November 2034

Chart 2161

Source Tongyeong City

---

★(417)/24 SOUTH COAST ~ Approaches to Nokdong Hang ~ Fishery

Area bounded by line, joining, (1)~(4)~(1) (1) 34-28-03.8N, 127-03-36.6E  
(2) 34-28-09.3N, 127-03-55.0E  
(3) 34-27-52.5N, 127-03-56.6E  
(4) 34-27-47.0N, 127-03-38.2E

Remark Period : November 2024 ~ November 2034

Chart 2452

Source Wando Gun

---

★(418)/24 SOUTH COAST ~ Approaches to Soan Hang ~ Fishery

Area 1. bounded by line, joining, (1)~(4)~(1) (1) 34-13-47.4N, 126-46-27.2E  
(2) 34-13-43.5N, 126-46-42.1E  
(3) 34-13-38.9N, 126-46-40.3E  
(4) 34-13-42.8N, 126-46-25.4E

2. bounded by line, joining, (1)~(4)~(1) (1) 34-13-27.0N, 126-47-05.2E  
(2) 34-13-21.2N, 126-47-31.6E  
(3) 34-12-52.5N, 126-47-22.4E  
(4) 34-12-58.3N, 126-46-56.0E

- |   |  |
|---|--|
| 3. bounded by line, joining, (1)~(4)~(1)  | (1) 34-09-28.7N, 126-43-46.6E<br>(2) 34-09-28.1N, 126-44-25.6E<br>(3) 34-08-55.6N, 126-44-24.9E<br>(4) 34-08-56.2N, 126-43-45.9E   |
| 4. bounded by line, joining, (1)~(4)~(1)  | (1) 34-12-49.6N, 126-43-48.8E<br>(2) 34-12-48.3N, 126-44-27.8E<br>(3) 34-12-15.9N, 126-44-26.2E<br>(4) 34-12-17.2N, 126-43-47.2E   |
| 5. bounded by line, joining, (1)~(6)~(1)  | (1) 34-10-52.1N, 126-45-06.7E<br>(2) 34-10-57.4N, 126-45-11.8E<br>(3) 34-10-43.9N, 126-45-22.6E<br>(4) 34-10-31.8N, 126-45-11.1E<br>(5) 34-10-42.6N, 126-45-02.5E<br>(6) 34-10-49.3N, 126-45-08.9E |
| 6. bounded by line, joining, (1)~(4)~(1)  | (1) 34-10-15.4N, 126-43-52.3E<br>(2) 34-10-16.9N, 126-44-01.2E<br>(3) 34-09-45.1N, 126-44-19.1E<br>(4) 34-09-45.0N, 126-44-08.5E   |
| 7. bounded by line, joining, (1)~(6)~(1)  | (1) 34-07-55.1N, 126-40-31.2E<br>(2) 34-07-54.7N, 126-40-37.0E<br>(3) 34-07-40.2N, 126-40-35.8E<br>(4) 34-07-30.3N, 126-40-19.8E<br>(5) 34-07-32.9N, 126-40-17.4E<br>(6) 34-07-42.1N, 126-40-30.1E |
| 8. bounded by line, joining, (1)~(4)~(1)  | (1) 34-07-49.0N, 126-41-10.7E<br>(2) 34-07-49.0N, 126-41-14.6E<br>(3) 34-06-44.1N, 126-41-15.8E<br>(4) 34-06-44.1N, 126-41-11.9E   |
| 9. bounded by line, joining, (1)~(6)~(1)  | (1) 34-07-57.6N, 126-37-26.1E<br>(2) 34-08-02.9N, 126-37-36.4E<br>(3) 34-07-33.9N, 126-37-52.3E<br>(4) 34-07-37.8N, 126-38-02.2E<br>(5) 34-07-31.0N, 126-38-05.9E<br>(6) 34-07-21.9N, 126-37-45.7E |
| 10. bounded by line, joining, (1)~(4)~(1) | (1) 34-08-04.6N, 126-37-40.2E<br>(2) 34-08-05.8N, 126-37-42.8E<br>(3) 34-08-02.1N, 126-37-45.4E<br>(4) 34-08-00.9N, 126-37-42.8E   |

- |   |  |
|---|--|
| 11. bounded by line, joining, (1)~(6)~(1) | (1) 34-08-04.4N, 126-37-48.5E<br>(2) 34-08-05.7N, 126-37-51.8E<br>(3) 34-08-01.2N, 126-37-55.1E<br>(4) 34-08-03.4N, 126-37-59.9E<br>(5) 34-07-50.1N, 126-38-07.2E<br>(6) 34-07-46.6N, 126-37-58.2E |
| 12. bounded by line, joining, (1)~(4)~(1) | (1) 34-07-57.5N, 126-37-43.6E<br>(2) 34-07-58.8N, 126-37-47.2E<br>(3) 34-07-39.6N, 126-37-57.7E<br>(4) 34-07-38.3N, 126-37-54.2E   |
| 13. bounded by line, joining, (1)~(4)~(1) | (1) 34-07-27.6N, 126-38-36.1E<br>(2) 34-07-21.2N, 126-38-54.1E<br>(3) 34-07-12.2N, 126-38-49.4E<br>(4) 34-07-18.6N, 126-38-31.5E   |
| 14. bounded by line, joining, (1)~(5)~(1) | (1) 34-06-58.6N, 126-36-55.4E<br>(2) 34-06-39.6N, 126-37-35.6E<br>(3) 34-06-34.3N, 126-37-51.5E<br>(4) 34-06-28.6N, 126-37-49.3E<br>(5) 34-06-41.2N, 126-37-15.0E                                  |

Remark 1,2. Period : November 2024 ~ February 2028  
3,4,6~9,13,14. Period : November 2024 ~ November 2034  
5. Period : November 2024 ~ May 2028  
9. Period : November 2024 ~ May 2026  
10~12. Period : November 2024 ~ May 2032

Chart 2471 (1,2,3,4,5,6), 2470 (7,8,9,10,11,12,13,14)

Source Wando Gun

★(419)/24 SOUTH COAST ~ Wando, Approaches to Hwaheungpo Hang ~ Fishery

- |   |  |
|---|--|
| Area 1. bounded by line, joining, (1)~(4)~(1) | (1) 34-18-16.5N, 126-34-02.4E<br>(2) 34-18-27.0N, 126-34-31.0E<br>(3) 34-18-19.6N, 126-34-35.0E<br>(4) 34-18-09.1N, 126-34-06.4E   |
| 2. bounded by line, joining, (1)~(8)~(1)      | (1) 34-18-12.2N, 126-37-18.4E<br>(2) 34-18-10.8N, 126-37-35.8E<br>(3) 34-16-56.1N, 126-37-27.4E<br>(4) 34-16-56.9N, 126-37-17.9E<br>(5) 34-17-24.0N, 126-37-21.5E<br>(6) 34-17-23.6N, 126-37-26.5E<br>(7) 34-17-33.3N, 126-37-27.6E<br>(8) 34-17-34.3N, 126-37-14.2E |

- |  |  |
|--|--|
| 3. bounded by line, joining, (1)~(4)~(1) | (1) 34-18-02.6N, 126-35-50.8E<br>(2) 34-18-00.7N, 126-35-56.2E<br>(3) 34-17-42.7N, 126-35-47.2E<br>(4) 34-17-44.6N, 126-35-41.8E   |
| 4. bounded by line, joining, (1)~(8)~(1) | (1) 34-17-47.7N, 126-33-42.2E<br>(2) 34-18-05.8N, 126-34-16.0E<br>(3) 34-18-23.7N, 126-35-20.5E<br>(4) 34-18-15.2N, 126-35-26.7E<br>(5) 34-17-55.6N, 126-34-47.6E<br>(6) 34-17-32.5N, 126-34-31.3E<br>(7) 34-17-43.2N, 126-34-19.9E<br>(8) 34-17-28.4N, 126-34-01.8E |
| 5. bounded by line, joining, (1)~(4)~(1) | (1) 34-18-03.9N, 126-33-32.9E<br>(2) 34-18-11.3N, 126-33-50.3E<br>(3) 34-17-59.5N, 126-33-56.8E<br>(4) 34-17-52.0N, 126-33-39.4E   |
| 6. bounded by line, joining, (1)~(4)~(1) | (1) 34-17-38.5N, 126-34-19.7E<br>(2) 34-17-29.6N, 126-34-29.1E<br>(3) 34-17-17.0N, 126-34-13.8E<br>(4) 34-17-25.9N, 126-34-04.4E   |
| 7. bounded by line, joining, (1)~(4)~(1) | (1) 34-18-28.6N, 126-34-40.5E<br>(2) 34-18-28.8N, 126-34-52.5E<br>(3) 34-18-21.8N, 126-34-57.5E<br>(4) 34-18-18.9N, 126-34-47.5E   |

Remark 1,2,7. Period : November 2024 ~ June 2029  
 3,4. Period : November 2024 ~ July 2033  
 5. Period : November 2024 ~ May 2033  
 6. Period : November 2024 ~ October 2032

Chart 2470

Source Wando Gun

★(420)/24 EAST COAST ~ Approaches to Sokcho Hang ~ Hydrographic survey

- |  |  |
|--|--|
| Area bounded by line, joining, (1)~(4)~(1) | (1) 38-12-22.0N, 128-35-39.0E<br>(2) 38-12-22.0N, 128-35-54.0E<br>(3) 38-12-14.0N, 128-35-54.0E<br>(4) 38-12-14.0N, 128-35-39.0E |
|--|--|

Remark Period : December 9, 2024 ~ December 22, 2024

Chart 1506

Source East Sea Hydrographic and Oceanographic Office

★(421)/24 WEST COAST ~ Approaches to Incheon Hang ~ Hydrographic survey

Area bounded by line, joining, (1)~(4)~(1) (1) 37-09-08.0N, 126-17-20.1E  
(2) 37-09-08.9N, 126-17-59.9E  
(3) 37-08-47.1N, 126-18-00.7E  
(4) 37-08-46.2N, 126-17-20.9E

Remark Period : December 9, 2024 ~ December 20, 2024

Chart 3415

Source West Sea Hydrographic and Oceanographic Office

---

★(422)/24 WEST COAST ~ Approaches to Deokjeokdo Hang ~ Hydrographic survey

Area 1. bounded by line, joining, (1)~(4)~(1) (1) 37-16-06.2N, 126-05-15.1E  
(2) 37-16-07.2N, 126-05-58.5E  
(3) 37-15-47.8N, 126-05-59.3E  
(4) 37-15-46.7N, 126-05-15.8E

2. bounded by line, joining, (1)~(4)~(1) (1) 37-12-49.8N, 126-06-25.1E  
(2) 37-12-50.8N, 126-07-04.9E  
(3) 37-12-23.2N, 126-07-05.9E  
(4) 37-12-22.2N, 126-06-26.2E

Remark Period : December 9, 2024 ~ December 20, 2024

Chart 3636

Source West Sea Hydrographic and Oceanographic Office

---

★(423)/24 WEST COAST ~ Approaches to Seonjinpo Hang ~ Hydrographic survey

Area bounded by line, joining, (1)~(4)~(1) (1) 37-44-25.9N, 124-44-28.8E  
(2) 37-44-27.5N, 124-45-13.2E  
(3) 37-44-10.7N, 124-45-14.1E  
(4) 37-44-09.1N, 124-44-29.7E

Remark Period : December 9, 2024 ~ December 20, 2024

Chart 3772

Source West Sea Hydrographic and Oceanographic Office

## PART IV

Please insert, correct or remove as follows in the LIST OF LIGHTS (PUB. No. 410)

| No.                        | Name          | Position                | Characteristics | Elev.<br>(m) | Range<br>(M) | Color.<br>Structure,<br>Height (m)   | Remarks                        |
|----------------------------|---------------|-------------------------|-----------------|--------------|--------------|--------------------------------------|--------------------------------|
| <b>1255.12</b>             | Samcheok      | 37-25.49N<br>129-12.75E | FI(1) R 4s      | 16           | 11           | R round<br>concrete<br>tower<br>11   | NTM No.49/799,2024             |
| <b>1255.13</b>             | Samcheok      | 37-24.77N<br>129-13.15E | FI(1) R 4s      | 16           | 11           | R round<br>concrete<br>tower<br>11   | NTM No.49/799,2024             |
| <b>1315.1</b>              | Pohanggu Hang | 36-02.83N<br>129-22.87E | Q(1) Y          |              | 5            | Y pillar                             | NTM No.49/800,2024             |
| <b>2243.1</b>              | Dumo Hang     | 34-43.70N<br>127-56.95E | FI(4) Y 8s      |              | 7            | Y pillar                             | (Insert)                       |
| <b>2243.2</b>              | Dumo Hang     | 34-43.73N<br>127-57.01E | FI(4) Y 8s      |              | 7            | Y pillar                             | (Insert)                       |
| <b>2649.1</b><br>M4274.505 | Seogwipo Hang | 33-13.98N<br>126-34.04E | FI(1) R 4s      | 17           | 7            | R round<br>concrete<br>tower<br>15   | NTM No.49/806,2024             |
| <b>3059.1</b><br>M4236.8   | Jangsando     | 34-37.30N<br>126-11.59E | FI(1) R 6s      | 13           | 7            | R round<br>concrete<br>tower         | NTM No.49/807,2024             |
| <b>3163</b><br>M4206       | <b>Maldo</b>  | 35-51.49N<br>126-18.91E | FI(1) W 10s     | 60           | <b>20</b>    | W 8-sided<br>concrete<br>tower<br>26 | NTM No.49/808,2024<br>(Insert) |

## Fog Signal

| No.  | Name   | Position                | kind and period | Rhythm         | Remarks                        |
|------|--------|-------------------------|-----------------|----------------|--------------------------------|
| 4362 | Hallim | 33-26.62N<br>126-14.35E | Horn 45s        | on 5s, off 40s | NTM No.49/805,2024<br>(Insert) |



## Racon

| No.     | Coast | Name   | Position                | Morse Code | Frequency (Mhz)                                 | Power (W)     | Range (M) | Remarks                        |
|---------|-------|--------|-------------------------|------------|---|---------------|-----------|--------------------------------|
| 4106.11 | South | Hallim | 33-26.26N<br>126-14.45E | D<br>-·-   | 4M00L1D<br>9375<br>9410<br>9415<br>9445<br>3050 | X-band<br>1.0 | 6         | NTM No.49/805,2024<br>(Insert) |

## Automatic Identification System(AIS)

| No.           | Coast | Name   | Position                | MMSI      | Frequency (MHz)                 | Power (W) | Range (M) | Remarks                        |
|---------------|-------|--------|-------------------------|-----------|---------------------------------|-----------|-----------|--------------------------------|
| <b>4534</b>   | South | Hallim | 33-26.05N<br>126-14.82E | 994401078 | 16K0F1D<br>161.9750<br>162.0250 | 12.5      | 25        | NTM No.49/805,2024<br>(Insert) |
| <b>4534.3</b> | South | Hallim | 33-27.09N<br>126-15.93E | 994403909 | 16K0F1D<br>161.9750<br>162.0250 | 12.5      | 25        | NTM No.49/805,2024<br>(Insert) |
| <b>4534.1</b> | South | Hallim | 33-26.62N<br>126-14.35E | 994403907 | 16K0F1D<br>161.9750<br>162.0250 | 12.5      | 25        | NTM No.49/805,2024<br>(Insert) |
| <b>4534.2</b> | South | Hallim | 33-27.94N<br>126-15.70E | 994403908 | 16K0F1D<br>161.9750<br>162.0250 | 12.5      | 25        | NTM No.49/805,2024<br>(Insert) |



**KOREA  
HYDROGRAPHIC  
AND  
OCEANOGRAPHIC  
AGENCY**

49111

351 Haeyang-ro, Yeongdo Gu, Busan

TEL. 051-400-4331~4

**NTM\_KHOA**

FAX. 051-400-4349

\* Web site : <http://www.khoa.go.kr>

\* E-mail : [ntmkhoa@korea.kr](mailto:ntmkhoa@korea.kr)